

Package: montagu (via r-universe)

September 1, 2024

Title Interface with 'montagu'

Version 0.6.1

Description Client for interacting with the montagu API, and authentication with the montagu OrderlyWeb instance. This package is part of montagu.

License MIT + file LICENSE

Encoding UTF-8

URL <https://github.com/vimc/montagu-r>

BugReports <https://github.com/vimc/montagu-r/issues>

Imports R6, getPass, httr, jsonlite, openssl, progress (>= 1.2.0),
storr

Suggests knitr, orderly (>= 0.7.5), orderlyweb (>= 0.1.1), rmarkdown,
sys, testthat, withr

RoxygenNote 6.1.1

VignetteBuilder knitr

Repository <https://mrc-ide.r-universe.dev>

RemoteUrl <https://github.com/vimc/montagu-r>

RemoteRef master

RemoteSha 3e9359af079f7eee08e5b60a240fcc4db8d9e09e

Contents

montagu_burden_estimate_sets	2
montagu_burden_estimate_set_clear	3
montagu_burden_estimate_set_close	4
montagu_burden_estimate_set_create	5
montagu_burden_estimate_set_data	5
montagu_burden_estimate_set_info	6
montagu_burden_estimate_set_outcome_data	7
montagu_burden_estimate_set_problems	8

montagu_burden_estimate_set_upload	8
montagu_central_burden_estimate_template	9
montagu_coverage_data	10
montagu_coverage_info	11
montagu_current_estimate_set_info	11
montagu_current_estimate_set_problems	12
montagu_demographics_list	13
montagu_demographic_data	13
montagu_disease	14
montagu_diseases	15
montagu_expectation	15
montagu_expectations	16
montagu_expectation_applicable_scenarios	16
montagu_expectation_countries	17
montagu_expectation_outcomes	18
montagu_model	18
montagu_modelling_group	19
montagu_modelling_groups	19
montagu_modelling_group_members	20
montagu_models	20
montagu_model_list	21
montagu_model_run_parameter_sets	21
montagu_model_run_parameter_set_data	22
montagu_model_run_parameter_set_info	23
montagu_model_run_parameter_set_upload	24
montagu_orderlyweb_remote	25
montagu_scenarios	25
montagu_scenario_problems	26
montagu_scenario_status	26
montagu_server	27
montagu_server_global_default_set	28
montagu_server_global_list	28
montagu_stochastic_burden_estimate_template	29
montagu_touchstones	29
montagu_touchstones_for_scenario	30
montagu_touchstone_versions	31

Index**32**

montagu_burden_estimate_sets

Retrieves list of estimate sets for a group, touchstone and scenario.

Description

Burden estimate sets define a set of results for a modelling group. They are specific to a touchstone and scenario. Usually, they will be the populated version of the burden estimate set template, which a modelling group can download, and defines the columns and rows for all the countries, ages and years that are expected from that group, for that scenario. The modelling group then overwrites the missing values with results from their model, and submits the results to Montagu.

Usage

```
montagu_burden_estimate_sets(modelling_group_id, touchstone_id,
    scenario_id, location = NULL)
```

Arguments

modelling_group_id	Modelling group identifier
touchstone_id	Touchstone identifier
scenario_id	Scenario identifier
location	The montagu server to connect to.

Value

A data frame of information about all relevant estimate sets.

```
montagu_burden_estimate_set_clear
```

Deletes all uploaded rows from an incomplete burden estimate set

Description

Burden estimate sets define a set of results for a modelling group. They are specific to a touchstone and scenario. Usually, they will be the populated version of the burden estimate set template, which a modelling group can download, and defines the columns and rows for all the countries, ages and years that are expected from that group, for that scenario. The modelling group then overwrites the missing values with results from their model, and submits the results to Montagu.

Usage

```
montagu_burden_estimate_set_clear(modelling_group_id, touchstone_id,
    scenario_id, burden_estimate_set_id, location = NULL)
```

Arguments

modelling_group_id	Modelling group identifier
touchstone_id	Touchstone identifier
scenario_id	Scenario identifier
burden_estimate_set_id	Burden estimate set created by montagu_burden_estimate_set_create
location	The montagu server to connect to.

Value

The id of the burden estimate set

montagu_burden_estimate_set_close
Closes a burden estimate set, marking it as complete.

Description

Burden estimate sets define a set of results for a modelling group. They are specific to a touchstone and scenario. Usually, they will be the populated version of the burden estimate set template, which a modelling group can download, and defines the columns and rows for all the countries, ages and years that are expected from that group, for that scenario. The modelling group then overwrites the missing values with results from their model, and submits the results to Montagu.

Usage

```
montagu_burden_estimate_set_close(modelling_group_id, touchstone_id,
    scenario_id, burden_estimate_set_id, location = NULL)
```

Arguments

modelling_group_id	Modelling group identifier
touchstone_id	Touchstone identifier
scenario_id	Scenario identifier
burden_estimate_set_id	Burden estimate set created by montagu_burden_estimate_set_create
location	The montagu server to connect to.

Value

The id of the burden estimate set

 montagu_burden_estimate_set_create

Create a new burden estimate set

Description

Burden estimate sets define a set of results for a modelling group. They are specific to a touchstone and scenario. Usually, they will be the populated version of the burden estimate set template, which a modelling group can download, and defines the columns and rows for all the countries, ages and years that are expected from that group, for that scenario. The modelling group then overwrites the missing values with results from their model, and submits the results to Montagu.

Usage

```
montagu_burden_estimate_set_create(modelling_group_id, touchstone_id,
  scenario_id, type, details = NULL, location = NULL)
```

Arguments

modelling_group_id	Modelling group identifier
touchstone_id	Touchstone identifier
scenario_id	Scenario identifier
type	Can be 'central-single-run' or 'central-averaged'
details	Optional details string
location	The montagu server to connect to.

Value

The id of the burden estimate set

 montagu_burden_estimate_set_data

Retrieves the data for a specific burden estimate set.

Description

Burden estimate sets define a set of results for a modelling group. They are specific to a touchstone and scenario. Usually, they will be the populated version of the burden estimate set template, which a modelling group can download, and defines the columns and rows for all the countries, ages and years that are expected from that group, for that scenario. The modelling group then overwrites the missing values with results from their model, and submits the results to Montagu.

Usage

```
montagu_burden_estimate_set_data(modelling_group_id, touchstone_id,
    scenario_id, burden_estimate_set_id, location = NULL)
```

Arguments

```
modelling_group_id      Modelling group identifier
touchstone_id           Touchstone identifier
scenario_id              Scenario identifier
burden_estimate_set_id  the integer id of a burden estimate set
location                 The montagu server to connect to.
```

Value

A list of information about a specific estimate set.

```
montagu_burden_estimate_set_info
```

Retrieves information about a specific burden estimate set.

Description

Burden estimate sets define a set of results for a modelling group. They are specific to a touchstone and scenario. Usually, they will be the populated version of the burden estimate set template, which a modelling group can download, and defines the columns and rows for all the countries, ages and years that are expected from that group, for that scenario. The modelling group then overwrites the missing values with results from their model, and submits the results to Montagu.

Usage

```
montagu_burden_estimate_set_info(modelling_group_id, touchstone_id,
    scenario_id, burden_estimate_set_id, location = NULL)
```

Arguments

```
modelling_group_id      Modelling group identifier
touchstone_id           Touchstone identifier
scenario_id              Scenario identifier
burden_estimate_set_id  The integer id of a burden estimate set
location                 The montagu server to connect to.
```

Value

A list of information about a specific estimate set.

montagu_burden_estimate_set_outcome_data

Retrieve data for a particular outcome of a burden estimate set, aggregated across country and disaggregated by either age or year.

Description

Burden estimate sets define a set of results for a modelling group. They are specific to a touchstone and scenario. Usually, they will be the populated version of the burden estimate set template, which a modelling group can download, and defines the columns and rows for all the countries, ages and years that are expected from that group, for that scenario. The modelling group then overwrites the missing values with results from their model, and submits the results to Montagu.

Usage

```
montagu_burden_estimate_set_outcome_data(modelling_group_id, touchstone_id,
    scenario_id, burden_estimate_set_id, outcome_code, group_by = "age",
    location = NULL)
```

Arguments

modelling_group_id	Modelling group identifier
touchstone_id	Touchstone identifier
scenario_id	Scenario identifier
burden_estimate_set_id	The integer id of a burden estimate set
outcome_code	The name of an outcome, such as 'cases' or 'deaths'.
group_by	Set to 'age' (the default) or 'year', to set the
location	The montagu server to connect to.

Value

A data frame with columns age or year (depending on group_by),

montagu_burden_estimate_set_problems

Retrieves information about a specific burden estimate set.

Description

Burden estimate sets define a set of results for a modelling group. They are specific to a touchstone and scenario. Usually, they will be the populated version of the burden estimate set template, which a modelling group can download, and defines the columns and rows for all the countries, ages and years that are expected from that group, for that scenario. The modelling group then overwrites the missing values with results from their model, and submits the results to Montagu.

Usage

```
montagu_burden_estimate_set_problems(modelling_group_id, touchstone_id,
    scenario_id, burden_estimate_set_id, location = NULL)
```

Arguments

modelling_group_id	Modelling group identifier
touchstone_id	Touchstone identifier
scenario_id	Scenario identifier
burden_estimate_set_id	The integer id of a burden estimate set
location	The montagu server to connect to.

Value

A list of any problems with this burden estimate set

montagu_burden_estimate_set_upload

Deletes all uploaded rows from an incomplete burden estimate set

Description

Burden estimate sets define a set of results for a modelling group. They are specific to a touchstone and scenario. Usually, they will be the populated version of the burden estimate set template, which a modelling group can download, and defines the columns and rows for all the countries, ages and years that are expected from that group, for that scenario. The modelling group then overwrites the missing values with results from their model, and submits the results to Montagu.

Usage

```
montagu_burden_estimate_set_upload(modelling_group_id, touchstone_id,
    scenario_id, burden_estimate_set_id, data, lines = 10000L,
    keep_open = FALSE, location = NULL)
```

Arguments

modelling_group_id	Modelling group identifier
touchstone_id	Touchstone identifier
scenario_id	Scenario identifier
burden_estimate_set_id	Burden estimate set created by montagu_burden_estimate_set_create
data	Data frame containing burden estimates.
lines	Number of lines to chunk the files into
keep_open	Keep the burden estimate set open after upload?
location	The montagu server to connect to.

Value

The id of the burden estimate set

```
montagu_central_burden_estimate_template
    Get central burden estimate template for an expectation
```

Description

The burden estimate set is the list of burden estimates for a particular scenario for a touchstone. Montagu provides csv templates including rows for all the countries, years and ages, and columns for all the burden outcomes expected. These templates can then be filled in by the modelling groups, and uploaded to Montagu as their results submission.

Usage

```
montagu_central_burden_estimate_template(modelling_group_id, touchstone_id,
    expectation_id, location = NULL)
```

Arguments

modelling_group_id	id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.
touchstone_id	id of the touchstone (including version)
expectation_id	id of the expectation (integer)
location	The montagu server to connect to.

Value

A data frame with columns disease, year, age, country, and country_name with given values, then cohort_size, deaths, cases and dalys, all NA.

montagu_coverage_data *Retrieve coverage data for a scenario, touchstone and modelling group.*

Description

The coverage data describes for each country, over time and age, the efforts to vaccinate people against each disease. Routine activities involve the regular vaccination that is in place, whereas campaigns are specifically targeted towards a certain disease or people group for a certain time period.

Usage

```
montagu_coverage_data(modelling_group = NULL, touchstone_id, scenario_id,
  format = "long", all_countries = FALSE, location = NULL)
```

Arguments

modelling_group	id of modelling group; if omitted or NULL, then return coverage info for all modelling groups.
touchstone_id	id of touchstone (including version)
scenario_id	id of scenario within touchstone
format	"wide" or "long" csv format. Long format contains a row per year per country; wide format contains a row per country, with year-specific columns for target population and coverage.
all_countries	Include all countries, instead of just those for which burden estimates are required.
location	The montagu server to connect to.

Value

A data frame of the coverage data.

montagu_coverage_info *Retrieve metadata for coverage sets for a particular group, touchstone and scenario.*

Description

The coverage data describes for each country, over time and age, the efforts to vaccinate people against each disease. Routine activities involve the regular vaccination that is in place, whereas campaigns are specifically targeted towards a certain disease or people group for a certain time period.

Usage

```
montagu_coverage_info(modelling_group, touchstone_id, scenario_id,  
  location = NULL)
```

Arguments

modelling_group	id of modelling group
touchstone_id	id of touchstone (including version)
scenario_id	id of scenario within touchstone
location	The montagu server to connect to.

Value

A data frame of metadata about all associated coverage sets

montagu_current_estimate_set_info
Get information on current estimate set for a scenario.

Description

Groups upload estimate sets to Montagu. The most recent set of results uploaded by a group for a given scenario can be queried for its status, or retrieved.

Usage

```
montagu_current_estimate_set_info(modelling_group_id, touchstone_id,  
  scenario_id, location = NULL)
```

Arguments

modelling_group_id	id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.
touchstone_id	id of the touchstone (including version)
scenario_id	id of the scenario
location	The montagu server to connect to.

Value

A list of fields about the current estimate set

montagu_current_estimate_set_problems

Retrieve list of any problems in current estimate set for a scenario.

Description

Groups upload estimate sets to Montagu. The most recent set of results uploaded by a group for a given scenario can be queried for its status, or retrieved.

Usage

```
montagu_current_estimate_set_problems(modelling_group_id, touchstone_id,
    scenario_id, location = NULL)
```

Arguments

modelling_group_id	id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.
touchstone_id	id of the touchstone (including version)
scenario_id	id of the scenario
location	The montagu server to connect to.

Value

A list of problem text.

`montagu_demographics_list`*List the demographic data available for a given touchstone.*

Description

Montagu provides standardised demographic data for the groups to use in their models. The source of the data is UNWPP, although various procedures are applied for convenience, including work on some smaller countries, people above the age of 80 in certain time periods, and extrapolating both cohorts backwards in time to their origins before 1950. Internal documents in the reporting portal describe the methods and motivations for these extensions.

Usage

```
montagu_demographics_list(touchstone_id, location = NULL)
```

Arguments

`touchstone_id` Touchstone identifier
`location` The location of the montagu api server.

Value

A data frame, giving the code and description for each demographic statistic, whether the data are stratified by gender, and a code indicating the source of the demographic data, which will change if there are future updates to any of the demographic data fields.

`montagu_demographic_data`*Download demographic data for a given touchstone.*

Description

Montagu provides standardised demographic data for the groups to use in their models. The source of the data is UNWPP, although various procedures are applied for convenience, including work on some smaller countries, people above the age of 80 in certain time periods, and extrapolating both cohorts backwards in time to their origins before 1950. Internal documents in the reporting portal describe the methods and motivations for these extensions.

Usage

```
montagu_demographic_data(type_code, touchstone_id, gender_code = NULL,  
  wide = FALSE, source_code = NULL, location = NULL)
```

Arguments

type_code	The demographic type code (something like cbr for Fertility: Crude birth rate (CBR). Get the possible values from montagu_demographics_list
touchstone_id	Touchstone identifier
gender_code	One of "male", "female" or "both" (if omitted montagu will return "both"). Not applicable to all statistics.
wide	Logical, if TRUE returns data in wide format rather than long.
source_code	Optional source code, may be useful if one type_code can come from two sources within a touchstone.
location	The location of the montagu api server.

Value

A data frame, giving the code and description for each demographic statistic, whether the data are stratified by gender, and a code indicating the source of the demographic data, which will change if there are future updates to any of the demographic data fields.

montagu_disease	<i>Retrieve disease with given id.</i>
-----------------	--

Description

Diseases have an internal id and a name in Montagu, which are generally, but not always the same. Occasionally, it is necessary to provide the disease id to Montagu functions.

Usage

```
montagu_disease(disease_id, location = NULL)
```

Arguments

disease_id	The disease id.
location	the montagu server to connect to.

Value

a list of an id and a disease name

montagu_diseases	<i>Retrieve list of all disease ids and names.</i>
------------------	--

Description

Diseases have an internal id and a name in Montagu, which are generally, but not always the same. Occasionally, it is necessary to provide the disease id to Montagu functions.

Usage

```
montagu_diseases(location = NULL)
```

Arguments

location the montagu server to connect to.

Value

data frame containing ids and names of diseases

montagu_expectation	<i>Get information about an expectation</i>
---------------------	---

Description

The expectations, for a modelling group for a particular touchstone, indicate the range of chronological years, ages and countries for which burden estimates are expected, and what burden outcomes are required.

Usage

```
montagu_expectation(modelling_group_id, touchstone_id, expectation_id,
  location = NULL)
```

Arguments

modelling_group_id id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.

touchstone_id id of the touchstone (including version)

expectation_id id of the expectation (integer)

location The montagu server to connect to.

Value

list of information about the expectation, including a description and ranges of age and time required.

montagu_expectations *Get expectations for a modelling group and touchstone*

Description

The expectations, for a modelling group for a particular touchstone, indicate the range of chronological years, ages and countries for which burden estimates are expected. These are also per-disease, so groups that model multiple diseases will see multiple rows of expectations.

Usage

```
montagu_expectations(modelling_group_id, touchstone_id, location = NULL)
```

Arguments

`modelling_group_id` id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.

`touchstone_id` id of the touchstone (including version)

`location` The montagu server to connect to.

Value

A data frame of information about the expectation

montagu_expectation_applicable_scenarios
Get applicable scenarios for an expectation

Description

Different scenarios may have different expectations. For example, for Hepatitis B, different countries are required for different scenarios, since the different HepB vaccination initiatives have been carried out in different sets of countries. For other diseases, the same expectation might be equally valid in different scenarios. Here, we can query which scenarios a particular expectation applies to.

Usage

```
montagu_expectation_applicable_scenarios(modelling_group_id, touchstone_id,
  expectation_id, location = NULL)
```


Arguments

modelling_group_id
id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.

touchstone_id id of the touchstone (including version)

expectation_id id of the expectation (integer)

location The montagu server to connect to.

Value

A vector of scenario names

montagu_expectation_countries
Get country list for an expectation

Description

The expectations, for a modelling group for a particular touchstone, indicate the range of chronological years, ages and countries for which burden estimates are expected, and what burden outcomes are required.

Usage

```
montagu_expectation_countries(modelling_group_id, touchstone_id,
  expectation_id, location = NULL)
```

Arguments

modelling_group_id
id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.

touchstone_id id of the touchstone (including version)

expectation_id Integer id of the expectation

location The montagu server to connect to.

Value

A data frame of country id and name, for all expected countries.

 montagu_expectation_outcomes

Get expected outcomes

Description

The expectations, for a modelling group for a particular touchstone, indicate the range of chronological years, ages and countries for which burden estimates are expected, and what burden outcomes are required.

Usage

```
montagu_expectation_outcomes(modelling_group_id, touchstone_id,
  expectation_id, location = NULL)
```

Arguments

modelling_group_id
id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.

touchstone_id id of the touchstone (including version)

expectation_id id of the expectation (integer)

location The montagu server to connect to.

Value

A vector of outcome names

 montagu_model

Retrieve model with given id.

Description

Models and modelling groups have text ids in Montagu. Here we can look up the relationships between groups and models, with description and citation information.

Usage

```
montagu_model(model_id, location = NULL)
```

Arguments

model_id The model id.

location The montagu server to connect to.

Value

List containing information about one model

montagu_modelling_group

Retrieve modelling_group with given modelling_group_id.

Description

Modelling group ids generally consist of an identifier for the institution where the group is based, a hyphen, and the principal investigator for that group. Groups will be informed of their internal id when joining the consortium, but for convenience, we provide functions to look up the modelling group id, and associated models.

Usage

montagu_modelling_group(modelling_group_id, location = NULL)

Arguments

modelling_group_id The id of the modelling group
location The montagu server to connect to.

Value

A list of id and description for the given group id.

montagu_modelling_groups

Retrieve list of all modelling group ids and names.

Description

Modelling group ids generally consist of an identifier for the institution where the group is based, a hyphen, and the principal investigator for that group. Groups will be informed of their internal id when joining the consortium, but for convenience, we provide functions to look up the modelling group id, and associated models.

Usage

montagu_modelling_groups(location = NULL)

Arguments

location The montagu server to connect to.

Value

A dataframe of id and description for each group

montagu_modelling_group_members

Retrieve list of members for a given modelling_group_id.

Description

Retrieve list of members for a given modelling_group_id.

Usage

```
montagu_modelling_group_members(modelling_group_id, location = NULL)
```

Arguments

modelling_group_id

The id of the modelling group

location

The montagu server to connect to.

montagu_models

Retrieve list of all model ids, names, citations and groups.

Description

Models and modelling groups have text ids in Montagu. Here we can look up the relationships between groups and models, with description and citation information.

Usage

```
montagu_models(location = NULL)
```

Arguments

location

The montagu server to connect to.

Value

Data frame containing information about models.

montagu_model_list	<i>Retrieve list of models for a given modelling_group_id.</i>
--------------------	--

Description

Modelling group ids generally consist of an identifier for the institution where the group is based, a hyphen, and the principal investigator for that group. Groups will be informed of their internal id when joining the consortium, but for convenience, we provide functions to look up the modelling group id, and associated models.

Usage

```
montagu_model_list(modelling_group_id, location = NULL)
```

Arguments

modelling_group_id	The id of the modelling group
location	The montagu server to connect to.

montagu_model_run_parameter_sets	<i>Retrieve a list of model run parameter sets for a group and touchstone</i>
----------------------------------	---

Description

A model run parameter set is a list of parameters that is required for a set of stochastic model runs. In a stochastic ensemble, modelling groups are requested to perform a number of model runs. Each model run executes with a unique set of parameters, and for a given run, all scenarios are run with the same parameters, so that we can calculate impact between them. The spread of parameters across the different runs should capture the range of sensible behaviour of the model. The model run parameter set then contains as many rows as there are model runs. Each row must contain a run_id, and the value for each parameter that is varied.

Usage

```
montagu_model_run_parameter_sets(modelling_group_id, touchstone_id,
  location = NULL)
```

Arguments

modelling_group_id	The id of the modelling group
touchstone_id	The id of the touchstone
location	The montagu server to connect to.

Details

Adding, and querying existing model_run_parameter_sets is supported, and when creating a stochastic burden estimate set, the id of the associated model_run_parameter_set is required as a parameter.

Value

a data frame of info about the model run parameter sets.

montagu_model_run_parameter_set_data

Retrieve info about one model run parameter sets for a group and touchstone

Description

A model run parameter set is a list of parameters that is required for a set of stochastic model runs. In a stochastic ensemble, modelling groups are requested to perform a number of model runs. Each model run executes with a unique set of parameters, and for a given run, all scenarios are run with the same parameters, so that we can calculate impact between them. The spread of parameters across the different runs should capture the range of sensible behaviour of the model. The model run parameter set then contains as many rows as there are model runs. Each row must contain a run_id, and the value for each parameter that is varied.

Usage

```
montagu_model_run_parameter_set_data(modelling_group_id, touchstone_id,
  model_run_parameter_set_id, location = NULL)
```

Arguments

modelling_group_id	The id of the modelling group
touchstone_id	The id of the touchstone
model_run_parameter_set_id	The id of the model_run_parameter_set.
location	The montagu server to connect to.

Details

Adding, and querying existing model_run_parameter_sets is supported, and when creating a stochastic burden estimate set, the id of the associated model_run_parameter_set is required as a parameter.

Value

a csv of parameter values for each run_id.

 montagu_model_run_parameter_set_info

Retrieve info about one model run parameter sets for a group and touchstone

Description

A model run parameter set is a list of parameters that is required for a set of stochastic model runs. In a stochastic ensemble, modelling groups are requested to perform a number of model runs. Each model run executes with a unique set of parameters, and for a given run, all scenarios are run with the same parameters, so that we can calculate impact between them. The spread of parameters across the different runs should capture the range of sensible behaviour of the model. The model run parameter set then contains as many rows as there are model runs. Each row must contain a run_id, and the value for each parameter that is varied.

Usage

```
montagu_model_run_parameter_set_info(modelling_group_id, touchstone_id,
  model_run_parameter_set_id, location = NULL)
```

Arguments

modelling_group_id	The id of the modelling group
touchstone_id	The id of the touchstone
model_run_parameter_set_id	The id of the model_run_parameter_set.
location	The montagu server to connect to.

Details

Adding, and querying existing model_run_parameter_sets is supported, and when creating a stochastic burden estimate set, the id of the associated model_run_parameter_set is required as a parameter.

Value

a list of info about one model run parameter set.

 montagu_model_run_parameter_set_upload

Upload a model_run_parameter_set to Montagu.

Description

A model run parameter set is a list of parameters that is required for a set of stochastic model runs. In a stochastic ensemble, modelling groups are requested to perform a number of model runs. Each model run executes with a unique set of parameters, and for a given run, all scenarios are run with the same parameters, so that we can calculate impact between them. The spread of parameters across the different runs should capture the range of sensible behaviour of the model. The model run parameter set then contains as many rows as there are model runs. Each row must contain a run_id, and the value for each parameter that is varied.

Usage

```
montagu_model_run_parameter_set_upload(modelling_group_id, touchstone_id,
  disease_id, data, location = NULL)
```

Arguments

modelling_group_id	The id of the modelling group
touchstone_id	The id of the touchstone
disease_id	The id of the disease associated with this model
data	a data frame with a column 'run_id', and other columns for each parameter that will be varied for each run.
location	The montagu server to connect to.

Details

Adding, and querying existing model_run_parameter_sets is supported, and when creating a stochastic burden estimate set, the id of the associated model_run_parameter_set is required as a parameter.

Value

the id of the newly created model_run_parameter_set

montagu_orderlyweb_remote
orderly remote driver

Description

An orderlyweb remote driver for montagu

Usage

```
montagu_orderlyweb_remote(name, host, port, ...)
```

Arguments

name	Name for the remote, shared with the <code>montagu_server</code> name.
host	Hostname, shared with the <code>montagu_server</code> host.
port	Port, shared with the <code>montagu_server</code> port.
...	Additional arguments passed through to <code>montagu_server</code>

montagu_scenarios *Retrieve information about a scenario*

Description

A scenario describes the vaccination conditions for a particular run of a model. Typical examples include a scenario where there is no vaccination, a scenario where there is routine (background) vaccination, or a scenario in which there are targetted campaigns to vaccinate particularly ages. Depending on disease, modelling groups may be asked to model various scenarios, for a particular touchstone.

Usage

```
montagu_scenarios(modelling_group_id = NULL, touchstone_id,  
                  location = NULL)
```

Arguments

modelling_group_id	id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.
touchstone_id	id of the touchstone (including version)
location	The montagu server to connect to.

Value

Data frame of scenario_id, description and disease.

montagu_scenario_problems

Retrieve a list of any problems with a scenario.

Description

A scenario describes the vaccination conditions for a particular run of a model. Typical examples include a scenario where there is no vaccination, a scenario where there is routine (background) vaccination, or a scenario in which there are targeted campaigns to vaccinate particularly ages. Depending on disease, modelling groups may be asked to model various scenarios, for a particular touchstone.

Usage

```
montagu_scenario_problems(modelling_group_id, touchstone_id, scenario_id,
    location = NULL)
```

Arguments

modelling_group_id	id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.
touchstone_id	id of the touchstone (including version)
scenario_id	id of the scenario
location	The montagu server to connect to.

Value

A list of problem text.

montagu_scenario_status

Retrieve current status of a groups' scenario.

Description

A scenario describes the vaccination conditions for a particular run of a model. Typical examples include a scenario where there is no vaccination, a scenario where there is routine (background) vaccination, or a scenario in which there are targeted campaigns to vaccinate particularly ages. Depending on disease, modelling groups may be asked to model various scenarios, for a particular touchstone.

Usage

```
montagu_scenario_status(modelling_group_id, touchstone_id, scenario_id,
    location = NULL)
```

Arguments

modelling_group_id	id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.
touchstone_id	id of the touchstone (including version)
scenario_id	id of the scenario
location	The montagu server to connect to.

Value

"invalid", "complete", "valid", or "empty"

montagu_server	<i>Create a handle to a montagu server</i>
----------------	--

Description

Create a handle to a montagu server

Usage

```
montagu_server(name, host, port = 443, username = NULL,
  password = NULL, verbose = FALSE, global = TRUE,
  overwrite = FALSE)
```

Arguments

name	The name to call this server. This appears in a few places as a "friendly" name. If <code>global = TRUE</code> then this will be available from the package using this name.
host	The hostname of the server
port	The port the server is running on (default is 443 which is the standard https port)
username	The username. If not given, then on authorisation, the user will be prompted. Falls back on the R global options <code>montagu.<name>.username</code> and <code>montagu.username</code> in turn.
password	The password. If not given, then on authorisation, the user will be prompted. Falls back on the R global options <code>montagu.<name>.password</code> and <code>montagu.password</code> in turn.
verbose	Logical, indicating if verbose http communication should be used. This is for debugging only.
global	Logical, indicating if the server should be stored in the global set. If true then you can pass <code>location = name</code> to most other functions in the package.
overwrite	Logical, and meaningful only if <code>global = TRUE</code> , indicating if a global configuration should be replaced if it exists.

Value

Invisibly, a montagu_server object.

montagu_server_global_default_set

Set a global default montagu server

Description

Set a global default montagu server

Usage

montagu_server_global_default_set(location)

Arguments

location A server location

montagu_server_global_list

List known montagu servers

Description

List known montagu servers

Usage

montagu_server_global_list()

 montagu_stochastic_burden_estimate_template

Get stochastic burden estimate template for an expectation

Description

Montagu provides the stochastic burden estimate set, which along with the columns of the central-estimate set, also includes a run_id column.

Usage

```
montagu_stochastic_burden_estimate_template(modelling_group_id,
      touchstone_id, expectation_id, location = NULL)
```

Arguments

modelling_group_id	id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.
touchstone_id	id of the touchstone (including version)
expectation_id	id of the expectation (integer)
location	The montagu server to connect to.

Value

A data frame with columns disease (given), run_id (NA), year, age, country, and country_name (all given), and finally cohort_size, deaths, cases and dalys, (NA).

 montagu_touchstones *Retrieve touchstones a modelling group is responsible for.*

Description

Touchstones are created by the VIMC management. The touchstone id associates a particular call for burden estimates, with the input data (coverage and demography) required to produce those estimates, and with the results that the modelling groups provide. A touchstone has a base name, and a version.

Usage

```
montagu_touchstones(modelling_group_id = NULL, location = NULL)
```

Arguments

modelling_group_id id of the modelling group. If omitted or null, then all touchstones are returned.

location The montagu server to connect to.

Value

Data frame of touchstone name, description and comment.

montagu_touchstones_for_scenario
Get touchstones that include this scenario

Description

Given a particular touchstone and scenario, we can lookup all the other touchstones that also contain this scenario.

Usage

```
montagu_touchstones_for_scenario(modelling_group_id, touchstone_id,
  scenario_id, location = NULL)
```

Arguments

modelling_group_id id of the modelling group. If omitted, or null, then all scenarios associated with the touchstone are returned.

touchstone_id id of the touchstone (including version)

scenario_id id of the scenario

location The montagu server to connect to.

Value

vector of touchstone ids

`montagu_touchstone_versions`*Retrieve list of all versions of a given touchstone.*

Description

Touchstones are versioned; errata in the input or coverage data may be addressed with a new version of the existing touchstone. When interacting with Montagu, a `touchstone_id` will consist of a basename, and a version.

Usage

```
montagu_touchstone_versions(modelling_group_id = NULL,  
                             touchstone_name = NULL, require_open = FALSE, location = NULL)
```

Arguments

<code>modelling_group_id</code>	id of the modelling group. If omitted or null, then all touchstones are returned.
<code>touchstone_name</code>	Optional base name of the touchstone to filter. (ie, no version suffix)
<code>require_open</code>	If true, include only open touchstones
<code>location</code>	The montagu server to connect to.

Value

Data frame of touchstone id, name, version, description and status

Index

montagu_burden_estimate_set_clear, 3
montagu_burden_estimate_set_close, 4
montagu_burden_estimate_set_create, 5
montagu_burden_estimate_set_data, 5
montagu_burden_estimate_set_info, 6
montagu_burden_estimate_set_outcome_data,
7
montagu_burden_estimate_set_problems,
8
montagu_burden_estimate_set_upload, 8
montagu_burden_estimate_sets, 2
montagu_central_burden_estimate_template,
9
montagu_coverage_data, 10
montagu_coverage_info, 11
montagu_current_estimate_set_info, 11
montagu_current_estimate_set_problems,
12
montagu_demographic_data, 13
montagu_demographics_list, 13
montagu_disease, 14
montagu_diseases, 15
montagu_expectation, 15
montagu_expectation_applicable_scenarios,
16
montagu_expectation_countries, 17
montagu_expectation_outcomes, 18
montagu_expectations, 16
montagu_model, 18
montagu_model_list, 21
montagu_model_run_parameter_set_data,
22
montagu_model_run_parameter_set_info,
23
montagu_model_run_parameter_set_upload,
24
montagu_model_run_parameter_sets, 21
montagu_modelling_group, 19
montagu_modelling_group_members, 20
montagu_modelling_groups, 19
montagu_models, 20
montagu_orderlyweb_remote, 25
montagu_scenario_problems, 26
montagu_scenario_status, 26
montagu_scenarios, 25
montagu_server, 25, 27
montagu_server_global_default_set, 28
montagu_server_global_list, 28
montagu_stochastic_burden_estimate_template,
29
montagu_touchstone_versions, 31
montagu_touchstones, 29
montagu_touchstones_for_scenario, 30