

Package: naomi.resources (via r-universe)

September 22, 2026

Title Data dependencies for Naomi output generation

Version 0.0.8

Description Makes data for Naomi output generation as an R package.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

URL <https://github.com/mrc-ide/naomi.resources>

Additional_repositories <https://mrc-ide.r-universe.dev>

Imports cli, readr, readxl

Suggests gt, knitr, naomi, rmarkdown, tibble, testthat (>= 3.0.0)

Config/testthat/edition 3

VignetteBuilder knitr

Config/pak/sysreqs libx11-dev

Repository <https://mrc-ide.r-universe.dev>

Date/Publication 2026-07-24 15:11:31 UTC

RemoteUrl <https://github.com/mrc-ide/naomi.resources>

RemoteRef main

RemoteSha b46c85fa572fed57fe01a237c3b8334c6851a51a

Contents

get_resources_info	2
get_shipp_workbook_path	2
get_srb_year	3
load_shipp_exdata	3
Index	4

get_resources_info	<i>Get info about resources for a country</i>
--------------------	---

Description

This returns a list containing

- The version of the package installed
- The URL from the DESCRIPTION
- A data frame with the files and their hashes for this country

Usage

```
get_resources_info(iso3)
```

Arguments

iso3	Country iso3 to get resources info for
------	--

Value

A list containing info about resources for this country

get_shipp_workbook_path	<i>Get the path to the workbook template</i>
-------------------------	--

Description

Get the path to the workbook template

Usage

```
get_shipp_workbook_path()
```

Value

Path to the workbook template

get_srb_year	<i>Get year of SRB estimates from SHIPP workbook template</i>
--------------	---

Description

Get year of SRB estimates from SHIPP workbook template

Usage

```
get_srb_year(iso3)
```

Arguments

iso3	Country iso3
------	--------------

Value

Year of SRB estimates to use in SHIPP calculations. Based on most recent survey or set to 2018 is most recent survey is older than 2018. Harcoded into SHIPP workbook template on "County Model" tab.

load_shipp_exdata	<i>Load dependencies for SHIPP PSE tool</i>
-------------------	---

Description

Load dependencies for SHIPP PSE tool

Usage

```
load_shipp_exdata(data, iso3)
```

Arguments

data	Name of data dependency (see below for full description).
iso3	Country iso3
	Subnational boundaries represent subnational administrative units used by UN-AIDS sourced from

Value

Data input for SHIPP PSE tool.
Loaded SHIPP data.

Index

`get_resources_info`, [2](#)
`get_shipp_workbook_path`, [2](#)
`get_srb_year`, [3](#)
`load_shipp_exdata`, [3](#)