

Package: nomad (via r-universe)

August 28, 2024

Title Create Portable R Repositories

Version 0.0.1

Maintainer Rich FitzJohn <rich.fitzjohn@gmail.com>

Description Collects together all the bits required to easily install packages from R in situations with limited internet.

License MIT + file LICENSE

Imports provisionr (>= 0.1.5), yaml, utils

Remotes richfitz/provisionr

RoxygenNote 6.1.1

Suggests testthat

Repository <https://mrc-ide.r-universe.dev>

RemoteUrl <https://github.com/reconhub/nomad>

RemoteRef master

RemoteSha 3a73d316865030f80261966f80f8207d5b4667c1

Contents

build	1
pack	2

Index	3
--------------	----------

build	<i>Build a nomad archive from github</i>
-------	--

Description

Build a nomad archive from a github repository

Usage

```
build(ref, dest, progress = NULL)
```

```
build_path(path, dest, progress = NULL)
```

Arguments

ref	A reference in username/repo format. Branches may be used.
dest	Destination directory - must be an empty directory if it exists, otherwise specify a new place.
progress	Passed through to nomad: :pack
path	Path to source, when using build_path

pack	<i>Create recon usb stick</i>
------	-------------------------------

Description

Create recon usb stick

Usage

```
pack(path, progress = NULL)
```

Arguments

path	Path to download things to. This directory must already exist, and may contain a nomad.yml file to control the behaviour of nomad.
progress	Print a progress bar for each downloaded file. The default NULL respects the value of <code>getOption(provisionr.download.progress)</code> which you can set to FALSE to prevent the printing of progress bars.

Index

`build`, 1

`build_path (build)`, 1

`pack`, 2